# **Supermicro Al Edge**

# Edge Video Transcoding, Edge Inference, Edge Training

Across industries, businesses whose employees and customers engage at edge locations - in cities, factories, retail stores, hospitals, and many more - are increasingly investing in deploying AI at the edge. By processing data and utilizing AI and ML algorithms at the edge, businesses overcome bandwidth and latency limitations, enabling real-time analytics for timely decision making, predictive care and personalized services, and streamlined business operations.

Purpose-built, environment-optimized Supermicro Al Edge servers with various compact form factors deliver the performance needed for low-latency, open architecture with pre-integrated components, diverse hardware and software stack compatibility, and privacy and security feature set required for complex edge deployments out of the box.

# **Systems**

# Short-Depth 5G/Edge & Hyper E

Compute and Al Performance at the Edge

### **Extra Large Workload: 2U Hyper-E**

- 3 NVIDIA H100 PCIe
- · 6 NVMe drives
- 32 DIMMs DDR5-4800



### SYS-221HE-FTNR / SYS-221HE-FTNRD

# Fanless and Wallmount Edge

Compact Systems for the Intelligent Edge

### **Large Workload: Compact System**

- Powerful expandable server for the
- 1 NVIDIA L40S or 2 L4
- 8 DIMM slots DDR5-4800
- 4 NVMe Drives



SYS-E403-13E

### **Medium Workload: Short-Depth Multi-GPU Edge** Server

- 1U Compact Edge/5G Server
- 2 NVIDIA L4 2 Internal Drive Bavs
- 8 DIMMs DDR5-4800



# **Small Workload: Embedded System**

- Ultra-compact Fanless Edge Server CPU (or ASIC) based Inference
- Up to 64GB DDR5
- M.2 M/B/E-Key with Nano SIM Card Slot



# **Recommended NVIDIA GPUs**



- HHHL SW
- PCIe 4.0 x16
- 72W
- · 24GB GDDR6



# **L40S**

- FHFL DW
- PCle 4.0 x16
- 350W
- · 48GB GDDR6



### 140

- FHFL DW
- PCle 4.0 x16
- 300W
- · 48GB GDDR6

# **Accelerate Al Edge Workloads**

# Edge Video Transcoding, Edge Inference, Edge Training

## **Opportunities and Challenges:**

- Space and weight limitation, power constraints
- · Balancing data throughput for video and audio requirements with cost of storage and bandwidth constraints
- · Latency impacting response time and service quality
- · Data privacy and security, regulatory compliance
- · Resiliency in face of network outages
- · Long product lifecycle requirements

### **Key Technologies:**

- · CPU or GPU-based AI edge Inferencing, GPU-based AI edge training, and video transcoding/encoding/decoding
- NVIDIA L4, L40S, L40, A30, A40, T4, A2 GPUs
- Short-depth chassis design for edge locations with AC or DC power supply options
- Front I/O with broad range of expansion and I/O port for flexibility and serviceability
- · Ruggedized systems designed to be placed outside of the data center

### **Solution Stack:**

- NVIDIA® TensorRT™ and Triton Inference Server
- NVIDIA DeepStream, Clara, Merlin, Metropolis, Morpheus, Omniverse, and Riva
- · NVIDIA Fleet Command
- Intel® OpenVINO

### **Use Cases:**

- Video processing: decode, encode, and transcode
- Edge inference: vision, speech, anomaly detection, etc.
- Markets: security and surveillance, retail, manufacturing, healthcare, and medical devices

# GPU Acceleration for Complete Range of Workloads













Go to www.supermicro.com/ai or scan the QR code to download the Al Workload Solution Brochure:

